Amendment dated: June 23, 2004

Reply to OA of: April 2, 2004

This listing of claims will replace all prior versions and listings of claims in the

application.

Listing of Claims:

1(previously presented). An electron tube having a ring-less getter of a tablet

shape in a vessel,

wherein a light is irradiated on the ring-less getter to thereby activate the

ring-less getter and the ring-less getter is mounted on a metallic layer formed in the

vessel and a metallic wire is hanged to the ring-less getter and then two end portions

of the metallic wire are welded to the metallic layer.

2(original). The electron tube of claim 1, wherein the ring-less getter is an

evaporation type ring-less getter; and an evaporated getter generated by irradiating the

light on the ring-less getter forms a getter film in the vessel of the electron tube.

3(original). The electron tube of claim 1, wherein the ring-less getter is a

non-evaporation type ring-less getter; and the light is irradiated on the ring-less getter

to selectively heat the ring-less getter, thereby activating the ring-less getter.

4(original). The electron tube of claim 1, wherein the ring-less getter is installed

on the vessel including at least one substrate of the electron tube.

5(original). The electron tube of claim 1, wherein the ring-less getter is installed

on a component of the electron tube.

Claim 6(canceled).

- 3 -

Amendment dated: June 23, 2004

Reply to OA of: April 2, 2004

7(previously presented). An electron tube having a ring-less getter of a tablet shape in a vessel,

wherein a light is irradiated on the ring-less getter to thereby activate the ring-less getter and two end portions of a metallic wire installed on the ring-less getter are welded to a metallic layer formed in the vessel.

8(previously presented). The electron tube of claim 7, wherein the metallic wire is mounted on a metallic layer side of the ring-less getter.

9(original). The electron tube of claim 8, wherein the metallic wire is mounted on the metallic layer parallel to a display region of the electron tube.

10(previously presented). The electron tube of claim 1 or 7, wherein the vessel is a vacuum vessel; the welding is performed by employing an ultrasonic bonding; the metallic wire is a bonding wire; and the metallic layer is a metallic thin film.

11(previously presented). An electron tube having a ring-less getter of a tablet shape in a vessel,

wherein a light is irradiated on the ring-less getter to thereby activate the ring-less getter and the ring-less getter includes a getter material layer and a metallic layer; and the metallic layer of the ring-less getter is welded to a corresponding metallic layer formed in the vessel.

12(previously presented). An electron tube having a ring-less getter of a tablet shape in a vessel,

wherein a light is irradiated on the ring-less getter to thereby activate the ring-less getter and the ring-less getter includes a getter material layer and a metallic layer formed by press forming getter material powder and metal powder, respectively;

Amendment dated: June 23, 2004

Reply to OA of: April 2, 2004

and the metallic layer of the ring-less getter is welded to a metallic layer formed in the vessel.

13(previously presented). An electron tube having a ring-less getter of a tablet shape in a vessel,

wherein a light is irradiated on the ring-less getter to thereby activate the ring-less getter and the ring-less getter includes a getter material layer and a metallic layer formed by press forming the getter material powder and a metal film/plate, respectively; and the metallic layer of the ring-less getter is welded to a metallic layer formed in the vessel.

14(previously presented). An electron tube having a ring-less getter of a tablet shape in a vessel,

wherein a light is irradiated on the ring-less getter to thereby activate the ring-less getter and the ring-less getter includes a getter material layer and a metallic wire formed by pressing getter material powder and a metal wire, respectively; and the metallic wire of the ring-less getter is welded to a metallic layer formed in the vessel.

15(currently amended). An electron tube having a ring-less getter of a tablet shape in a vessel,

wherein a light is irradiated on the ring-less getter to thereby activate the ring-less getter and the ring-less getter includes a metallic layer and a getter material layer having a getter material film; and [[the]] a metallic wire of the ring-less getter is welded to a metallic layer formed in the vessel.

16(original). The electron tube of one of claims 11 to 15, wherein the getter material layer of the ring-less getter is evaporated by the light and there is formed a getter mirror film on an inner side of a corresponding substrate or a corresponding

Amendment dated: June 23, 2004

Reply to OA of: April 2, 2004

component of the electron tube facing to the substrate or the component where the

ring-less getter is fixed.

17(original). The electron tube of one of claims 11 to 15, wherein the light is

irradiated on the getter material layer of the ring-less getter from outside of a

corresponding substrate facing to the substrate or the component where the ring-less

getter is fixed; and there is formed a getter mirror film on an inner side of the

corresponding substrate.

18(original). The electron tube of one of claims 11 to 15, wherein the vessel is

a vacuum vessel; the welding is performed by employing an ultrasonic bonding; and the

metallic wire is a bonding wire; and the metallic layer is a metallic thin film.

19(previously presented). The electron tube of one of claims 1, 7 and 11 to 15,

wherein the electron tube is a fluorescent display device.

Claims 20-25(canceled).

- 6 -